



**SAYED ALZUJAJ BUILDING
MATERIALS MANUFACTURE L.L.C**


سيد الزجاج لصناعة مواد البناء ذ.م.م

**WPC DOOR
PVC FOAM BOARD
PVC WALL PANEL
PVC LIPPING**

sayedbuildingmaterials@gmail.com

UMM DERA - NEW INDUSTRIAL AREA 1 - UMM AL QUWAIN - UAE

أم درع - المنطقة الصناعية الجديدة 1 - أم القيوين - الإمارات العربية المتحدة



PRODUCTION LINE

WOOD PLASTIC COMPOSITE DOOR (WPC DOOR)

100% Water-proof

100% Eco-friendly

Non -formaldehyde

100% Moisture proof

100% Anti-termite

Sound proof

Antiflaming

More durable

Easy to be installed

Customized

Modern and fashionable



Concealment: Invisible doors typically seamlessly integrate with walls or other structures, enhancing the overall aesthetics and sense of space in a room.

Space-saving: Since invisible doors do not require space to swing open, they can save indoor space.

Innovation: The design of invisible doors requires innovative and precise engineering techniques to ensure smooth operation, safety, and reliability without compromising the stability of the overall architectural structure.

Aesthetic effect: Invisible doors are usually designed with elegance, enhancing the quality of interior decoration and imparting a sense of sophistication and style.

Privacy: Invisible doors can provide higher levels of privacy.

YX-01

INVISIBLE
DOOR
SERIES



YX-02



YX-03



YX-04

NEW DESIGN
6CM DOOR SHUTTER

Improved soundproofing.
Higher stability and
reduced risk of
deformation
Can make taller
shutter as well



6PZ-1



6PZ-2



6PZ-3



6PZ-4



6PZ-5





**FLAT PANEL
 SERIES**
Algh



PTM-06



PTM-07



PTM-08





PTM-10



PTM-11



PTM-12





GT-02



GT-03



GT-04







GT-10

GT-11

GT-12

GT-13

SPICE AND
INLAY SERIES

SPLICE AND
INLAY SERIES



GT-14

GT-15

GT-16

GT-17

SPLICE AND
INLAY SERIES



GT-18

GT-19

GT-20

GT-21





PZ-06



PZ-07



PZ-08



PZ-09



PZ-10



PZ-11





PZL-02



PZL-03



PZL-04



PZL-05





MILLING
SERIES



XP-07

XP-08

XP-09

XP-10

XP-11



XP-12

XP-13



XP-14

XP-15

XP-16


MILLING
SERIES

exterior wall–
mounted sliding door



inside wall–
mounted sliding door

between wall–
mounted sliding door





Door Founder arch
TL-01



Door round arch
TL-02




Mother and Son Door
TL-03



Double Door
TL-04

A NON-
STANDARD
DOOR




1



2



3



4



5



6

SELECTIVE
COLOR



7



8



9



10



11



12



13



14



15



18



19



22




23



305



306



307

ITALIAN
SERIES



26X-1

26X-2

26X-3

26X-4

ITALIAN
SERIES































26X-5

26X-6

26X-7

26X-8






Installation steps

1. Preparation before installation
2. Assemble the door cover
3. Apply foaming agent
4. Install the hinge


5. Install the door lock
6. Adjust the door gap
7. Install the line

8. Install the door stopper
9. Apply the sealant
10. Clean


Installation diagram




A-A




B-B



EXTERNAL VIEW



INTERNAL VIEW



GRILLE
SERIES



WPC-01



WPC-02



WPC-03



WPC-04



WPC-05



WPC-06



WPC-07



WPC-08



WPC-09



WPC-10



WPC-11



WPC-12